


WORK AND SAFETY FOOTWEAR

2021/2022




ARTRA

**Dynamic design,
crash tests, lightweight construction.**

Sounds like we're building cars.

Ahoy



DNA OF ARTRA DESIGN.

DOMINANCE



DYNAMISM

ICONIC SHAPES

DETERMINED PROPORTIONS

PRECISION

PROFESSIONALISM



SCIENCE

LIGHT

CERTIFICATE
DEKO-TEX


BREATHABLE

HYDROPHOBIC

WASHABLE
UP TO 40°C

ANIMAL FRIENDLY

RESISTANT



NOT FICTION



NUBUCK PRO
INDUSTRY PRO
VELOUR PRO
MICRO PRO
GUARD PRO
LEATHER PRO

BENEFITS OF

MICROFIBRE

RAPTOR



**POWER, PERFORMANCE
AND INFINITE ENERGY.**

Innovative construction provides incredible energy return.

PRO POWER GRIP

MAXIMUM LIGHTNESS IN MINIMUM VOLUME.

Lowest possible weight and highest possible performance.



ARTRA

PRO POWER GRIP

**PRO
OVER**



**LIKE IN NATURE.
THE STRONGEST WINS.**

7 mm tread ensures perfect grip on non-compact surface.

PRO POWER GRIP



MAXIMUM FUNCTIONAL DESIGN.

Exceptional cushioning and support of the foot at every step.

GRIPPER

PRO POWER GRIP

WELLNESS



soft polyurethane foam
bounce effect for energy recovery
regenerating effect for the health of joints
open cell structure keeps dry feet
activated carbon for odor elimination
antistatic ESD properties
produced from recycled materials

EFFECTOR

ENERGIZER



POWER OF CHOICE

COLLECTIONS

DESIGN & ESD 38

WORK & SAFETY 76

GASTRO & MEDICAL 148

OVERVIEW BY SAFETY CLASSES



SB



ART 702 Air
6660 SB A E FO ESD

64



ART 702 Air
1010 SB A E FO ESD

66



ART 702 Air
6660 SB A E FO

78



ARVA
6017 6660 SB A E FO

84



ARVA
6017 1010 SB A E FO

152



ARIA
6047 1010 SB A E FO

153



ART 702 Air
1010 SB A E FO

156

S1



ARSO
701 618060 S1 ESD

40



ARDESIO
731 618060 S1 ESD

42



ARSO
701 613060 S1 ESD

52



ARDESIO
731 613060 S1 ESD

54



ARMEN
9007 6660 S1 ESD

65



ARMEN
9007 1010 S1 ESD

67



ARJUN
903 2560 S1 ESD

68



ARMEN
9008 6660 S1 ESD

69



ARIO
801 673560 S1 ESD

70



AREZZO
830 Air 673560 S1 ESD

71



ARIO
801 1010 S1 ESD

73



ARIO
801 236060 S1 ESD

74



AREZZO
830 Air 236060 S1 ESD

75



ARJUN
903 2560 S1

79



ARMEN
9007 6660 S1

80



ARMEN
900 2360 S1

81



ARMEN
9007 4460 S1

82



ARMEN
9007 9360 S1

83



ARIO
801 618060 S1

88



ARIO
801 673560 S1

92

OVERVIEW BY SAFETY CLASSES



ARIO
801 233560 S1
102
AREZZO
830 Air 233560 S1
103
ARMEN
9008 2360 S1
106
ARISTON
843 8260R S1 HRO
111
ARAM
921 Air 6060 S1
114
ARAM
921 Air 2360 S1
115
ARENA
922 4460 S1
136

S2



AREZZO
830 673560 S2 ESD
72
ARICA
6207 6660 S2
85
ARAWA
6217 6660 S2
86
ARZAWA
6417 6660 S2
87
ARAGON
9208 6060 S2
107
ARAM
921 6060 S2
116



ARDAS
928 6360 S1
137
ARMEN
900 6060 S1
144
ARMEN
9007 1010 S1
150
ARMEN
9007 Clip 1010 S1
151
ARIES
800 1010 S1
157
ARMEN
9008 1010 S1
158



ARENA
922 2360 S2
134
ARIUS
926 6160 S2
138
ARROW
923 2360 S2
142
ARCHER
943 2360 S2
143
ARCHER
943 2360 S2 CI
143
ARAGON
920 6060 S2
145
ARAUKAN
940 6060 S2
146

S1 P



ARSO
701 618060 S1 P ESD
40
ARDESIO
731 618060 S1 P ESD
42
ARCASIO
732 618060 S1 P ESD
44
AROSIO
730 Air 618060 S1 P ESD
46
ARCASIO
732 613060 S1 P ESD
56
AROSIO
730 Air 613060 S1 P ESD
58



ARAUKAN
940 6060 S2 CI
146
ARICA
6207 1010 S2
154
ARAWA
6217 1010 S2
155
ARAUKAN
9408 1010 S2
159
ARGON
822 1010 S2
160
ARAGONIT
842 1010 S2
161
ARAGONIT
842 1010 S2 CI
161



ARIENZO
831 618060 S1 P
89
AREZZO
830 Air 618060 S1 P
90
ARIENZO
831 673560 S1 P
93
AREZZO
830 Air 673560 S1 P
94
ARENZANO
850 Air 673560 S1 P
96
ARIO
801 671460 S1 P
98
ARIENZO
831 671460 S1 P
99



ARAGON
920 1010 S2
162
ARAM
921 1010 S2
163
ARAUKAN
940 1010 S2
164
ARAFUR
944 1010 S2
165
ARGON
8229 1010 S2
166
ARAGONIT
8429 1010 S2
167



AREZZO
830 Air 671460 S1 P
100
ARRAY
832 643560 S1 P
104
ARROYO
852 643560 S1 P
105
ARMEN
900 6060 S1 P
144

OVERVIEW BY SAFETY CLASSES



S3

AROSIO 730 618060 S3 ESD 48	AROSERIO 750 618060 S3 ESD 50	AROSIO 730 613060 S3 ESD 60	AROSERIO 750 613060 S3 ESD 62	AREZZO 830 618060 S3 91	AREZZO 830 673560 S3 95
ARENZANO 850 673560 S3 97	AREZZO 830 671460 S3 101	ARAUKAN 9408 6060 S3 108	ARENZANO 850 623560R S3 HRO 109	ARAUKAN 9408 6260R S3 HRO M 110	ARAKAN 840 6260 S3 CI 112
ARKANSAS 860 6260 S3 113	ARKANSAS 860 6260 S3 CI 113	ARAM 921 6060 S3 116	ARUBA 941 6060 S3 117	ARIZONA 961 6060 S3 CI 118	ARRAS 929 6060 S3 119
ARLES 947 6160 S3 121	ARAL 927 4260 S3 122	ARLES 947 4260 S3 123	ARAL 927 4560 S3 124	ARLES 947 4560 S3 125	ARAGON 920 6060 S3 145
ARAUKAN 940 6060 S3 CI 146	ARMAGNAC 960 6060 S3 147	ARMAGNAC 960 6060 S3 CI 147			

OB














































ART 702 Air 6660 OB A E FO ESD 64	ART 702 Air 1010 OB A E FO ESD 66	ART 702 Air 6660 OB A E FO 78	ARVA 6017 6660 OB A E FO 84	ARVA 6017 1010 OB A E FO 152	ARIA 6047 1010 OB A E FO 153
ART 702 Air 1010 OB A E FO 156					

O1

ARDESIO 731 613060 O1 FO ESD 54	ARCASIO 732 613060 O1 FO ESD 56	ARMEN 9007 6660 O1 FO ESD 65	ARMEN 9007 1010 O1 FO ESD 67	ARMEN 9007 6660 O1 FO 80	ARMEN 9007 4460 O1 FO 82
ARMEN 9007 9360 O1 FO 83	ARAM 921 Air 2360 O1 FO 115	ARDAS 928 6360 O1 FO 137	ARMEN 900 6060 O1 FO 144	ARMEN 9007 1010 O1 FO 150	

OVERVIEW BY SAFETY CLASSES

O2

												
AROSIO 730 613060 O2 FO ESD 60	AROSERIO 750 613060 O2 FO ESD 62	ARICA 6207 6660 O2 FO 85	ARAWA 6217 6660 O2 FO 86	ARZAWA 6417 6660 O2 FO 87	ARIZONA 961 6060 O2 CI FO 118	ARMAGNAC 960 6060 O2 FO 147	ARICA 6207 1010 O2 FO 154	ARAWA 6217 1010 O2 FO 155	ARAGON 920 1010 O2 FO 162	ARAM 921 1010 O2 FO 163	ARAUKAN 940 1010 O2 FO 164	ARAUKAN 940 1010 O2 CI FO 164
												
ARAL 927 6160 O2 FO 120	ARLES 947 6160 O2 FO 121	ARLES 947 6160 O2 CI FO 121	ARAL 927 4260 O2 FO 122	ARLES 947 4260 O2 FO 123	ARLES 947 4260 O2 CI FO 123	ARAL 927 4560 O2 FO 124	ARAFUR 944 1010 O2 FO 165	ARAFUR 944 1010 O2 CI FO 165	ARGON 8229 1010 O2 FO 166	ARAGONIT 8429 1010 O2 CI FO 167		
												
ARLES 947 4560 O2 FO 125	ARES 934 6260 O2 FO 126	ARSENAL 954 6260 O2 FO 127	ARMAGEDON 974 6260 O2 FO 128	ARENA 922 6260 O2 FO 129	ARCHA 942 6260 O2 FO 130	ARKADA 962 6260 O2 FO 131						
												
ARENA 922 4260 O2 FO 132	ARCHA 942 4260 O2 FO 133	ARENA 922 2360 O2 FO 134	ARCHA 942 2360 O2 FO 135	ARIUS 926 6160 O2 FO 138	ARMINIUS 946 6160 O2 FO 139	ARIUS 926 4260 O2 FO 140						
												
ARMINIUS 946 4260 O2 FO 141	ARROW 923 2360 O2 FO 142	ARCHER 943 2360 O2 FO 143	ARCHER 943 2360 O2 CI FO 143	ARAGON 920 6060 O2 FO 145	ARAUKAN 940 6060 O2 FO 146	ARAUKAN 940 6060 O2 CI FO 146						

DESIGN DYNAMIC, FUNCTIONAL,
VISIONARY.



**DESIGN
& ESPD**

ARSO 701 618060 S1 P ESD

PRO POWER GRIP

DESIGN & ESD

KEY FEATURES

- ICONIC DESIGN
- INCREDIBLE LIGHTNESS
- MAXIMUM AIR EXCHANGE
- DYNAMISM
- WELLNESS



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- midsole** ERGOFLEX metal-free, outstanding flexibility for natural movement
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 P SRC, ESD in accordance with EN IEC 61340-4-3:2018

701 618060 S1 P ESD



701 618060 S1 ESD



**FRESH AIR CAN BE
A REAL LUXURY.**

ARDESIO 731 618060 S1 P ESD

DESIGN & ESD

KEY FEATURES

- ICONIC DESIGN
- INCREDIBLE LIGHTNESS
- MAXIMUM AIR EXCHANGE
- DYNAMISM
- WELLNESS

PRO POWER GRIP



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- midsole** ERGOFLEX metal-free, outstanding flexibility for natural movement
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 P SRC, ESD in accordance with EN IEC 61340-4-3:2018

731 618060 S1 P ESD



731 618060 S1 ESD



THE BEST HYBRID FOR YOUR BUSINESS.

ARCASIO 732 618060 S1 P ESD

DESIGN & ESD

PRO POWER GRIP



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability / AIRKNIT PRO
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- midsole** ERGOFLEX metal-free, outstanding flexibility for natural movement
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 P SRC, ESD in accordance with EN IEC 61340-4-3:2018

732 618060 S1 P ESD



KEY FEATURES

- ICONIC DESIGN
- INCREDIBLE LIGHTNESS
- AIR CONDITIONING
- DYNAMISM
- WELLNESS

**PERFECTLY UNITES
FUNCTION AND DESIGN.**

AROSIO 730 Air 618060 S1 P ESD

DESIGN & ESD

PRO POWER GRIP



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- midsole** ERGOFLEX metal-free, outstanding flexibility for natural movement
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 P SRC, ESD in accordance with EN IEC 61340-4-3:2018

730 Air 618060 S1 P ESD



KEY FEATURES

- ICONIC DESIGN
- INCREDIBLE LIGHTNESS
- INTEGRATED COOLING EFFECT
- DYNAMISM
- WELLNESS

CREATED FOR HIGH INTENSIVE PERFORMANCE.

AROSIO 730 618060 S3 ESD

PRO POWER GRIP

DESIGN & ESD

KEY FEATURES

ICONIC DESIGN
INCREDIBLE LIGHTNESS
UNIVERSAL SPECIALIST
DYNAMISM
WELLNESS



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- midsole** ERGOFLEX metal-free, outstanding flexibility for natural movement
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S3 SRC, ESD in accordance with EN IEC 61340-4-3:2018

730 618060 S3 ESD



DIRECT WAY TO SUCCESS.

AROSERIO 750 618060 S3 ESD

DESIGN & ESD

PRO POWER GRIP



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- midsole** ERGOFLEX metal-free, outstanding flexibility for natural movement
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S3 SRC, ESD in accordance with EN IEC 61340-4-3:2018

750 618060 S3 ESD



KEY FEATURES

- ICONIC DESIGN
- INCREDIBLE LIGHTNESS
- RESISTANT SPECIALIST
- DYNAMISM
- WELLNESS

**INCREASED SAFETY
WITH STRIKING LOOKS.**

ARSO 701 613060 S1 ESD

PRO POWER GRIP

DESIGN & ESD

KEY FEATURES

- ICONIC DESIGN
- INCREDIBLE LIGHTNESS
- MAXIMUM AIR EXCHANGE
- DYNAMISM
- WELLNESS



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 SRC, ESD in accordance with EN IEC 61340-4-3:2018

701 613060 S1 ESD



**FRESH AIR CAN BE
A REAL LUXURY.**

ARDESIO 731 613060 S1 ESD

DESIGN & ESD

PRO POWER GRIP



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 SRC, ESD in accordance with EN IEC 61340-4-3:2018

731 613060 S1 ESD



731 613060 O1 FO ESD



KEY FEATURES

- ICONIC DESIGN
- INCREDIBLE LIGHTNESS
- MAXIMUM AIR EXCHANGE
- DYNAMISM
- WELLNESS

THE BEST HYBRID FOR YOUR BUSINESS.

ARCASIO 732 613060 S1 P ESD

DESIGN & ESD

PRO POWER GRIP



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability / AIRKNIT PRO
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- midsole** ERGOFLEX metal-free, outstanding flexibility for natural movement
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 P SRC, ESD in accordance with EN IEC 61340-4-3:2018

732 613060 S1 P ESD



732 613060 O1 FO ESD



KEY FEATURES

- ICONIC DESIGN
- INCREDIBLE LIGHTNESS
- AIR CONDITIONING
- DYNAMISM
- WELLNESS

**PERFECTLY UNITES
FUNCTION AND DESIGN.**

AROSIO 730 Air 613060 S1 P ESD

DESIGN & ESD

PRO POWER GRIP



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- midsole** ERGOFLEX metal-free, outstanding flexibility for natural movement
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 P SRC, ESD in accordance with EN IEC 61340-4-3:2018

730 Air 613060 S1 P ESD



KEY FEATURES

- ICONIC DESIGN
- INCREDIBLE LIGHTNESS
- INTEGRATED COOLING EFFECT
- DYNAMISM
- WELLNESS

CREATED FOR HIGH INTENSIVE PERFORMANCE.

AROSIO 730 613060 S3 ESD

PRO POWER GRIP

DESIGN & ESD

KEY FEATURES

- ICONIC DESIGN
- INCREDIBLE LIGHTNESS
- UNIVERSAL SPECIALIST
- DYNAMISM
- WELLNESS



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- midsole** ERGOFLEX metal-free, outstanding flexibility for natural movement
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S3 SRC, ESD in accordance with EN IEC 61340-4-3:2018

730 613060 S3 ESD



730 613060 O2 FO ESD



DIRECT WAY TO SUCCESS.

AROSERIO 750 613060 S3 ESD

DESIGN & ESD

PRO POWER GRIP



KEY FEATURES

- ICONIC DESIGN
- INCREDIBLE LIGHTNESS
- RESISTANT SPECIALIST
- DYNAMISM
- WELLNESS

- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- midsole** ERGOFLEX metal-free, outstanding flexibility for natural movement
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S3 SRC, ESD in accordance with EN IEC 61340-4-3:2018

750 613060 S3 ESD



750 613060 O2 FO ESD



**INCREASED SAFETY
WITH STRIKING LOOKS.**

ART 702 Air 6660 SB A E FO ESD

DESIGN & ESD

PRO POWER GRIP



- upper** hydrophobic microfiber MICRO PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** EFFECTOR memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 SB A E FO SRC, ESD in accordance with EN IEC 61340-4-3:2018

- 702 Air 6660 SB A E FO ESD
- 702 Air 6660 OB A E FO ESD

ARMEN 9007 6660 S1 ESD

PRO POWER GRIP



- upper** hydrophobic microfiber MICRO PRO 2,2 mm increases resistance and breathability
- lining** TOTAL DRY for exceptional level of absorption and breathability
- insole** EFFECTOR memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 SRC, ESD in accordance with EN IEC 61340-4-3:2018

- 9007 6660 S1 ESD
- 9007 6660 O1 FO ESD

ART 702 Air 1010 SB A E FO ESD

DESIGN & ESD

PRO POWER GRIP



- upper** hydrophobic microfiber MICRO PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** EFFECTOR memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 SB A E FO SRC, ESD in accordance with EN IEC 61340-4-3:2018

702 Air 1010 SB A E FO ESD



702 Air 1010 OB A E FO ESD



ARMEN 9007 1010 S1 ESD

PRO POWER GRIP



- upper** hydrophobic microfiber MICRO PRO 2,2 mm increases resistance and breathability
- lining** TOTAL DRY for exceptional level of absorption and breathability
- insole** EFFECTOR memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- sole** RAPTOR PU.2D with responsive cushioning for high energy return
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 SRC, ESD in accordance with EN IEC 61340-4-3:2018

9007 1010 S1 ESD



9007 1010 O1 FO ESD



ARJUN 903 2560 S1 ESD

DESIGN & ESD

PRO POWER GRIP



- upper** hydrophobic microfiber NUBUCK PRO 2,2 mm increases resistance and breathability / SHIELD PRO
- lining** TOTAL DRY for exceptional level of absorption and breathability
- insole** EFFECTOR memory polyurethane foam for added air rebound and breathability
- toe cap** steel, wide anatomical shape provides more toe room and optimum fit
- sole** GRIPPER PU.2D with robust design for increased resistance
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 SRC, ESD in accordance with EN IEC 61340-4-3:2018

903 2560 S1 ESD 

ARMEN 9008 6660 S1 ESD

PRO POWER GRIP



- upper** hydrophobic microfiber MICRO PRO 2,2 mm increases resistance and breathability
- lining** TOTAL DRY for exceptional level of absorption and breathability
- insole** EFFECTOR memory polyurethane foam for added air rebound and breathability
- toe cap** composite, extra wide anatomical shape provides more toe room and optimum fit
- sole** RAPID PU.2D with exceptional lightness for energy saving
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 SRC, ESD in accordance with EN IEC 61340-4-3:2018

9008 6660 S1 ESD 

ARIO 801 673560 S1 ESD

DESIGN & ESD

PRO POWER GRIP



- upper** hydrophobic microfiber INDUSTRY PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** composite, extra wide anatomical shape provides more toe room and optimum fit
- sole** RAPID PU.2D with exceptional lightness for energy saving
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 SRC, ESD in accordance with EN IEC 61340-4-3:2018

801 673560 S1 ESD



AREZZO 830 Air 673560 S1 ESD

PRO POWER GRIP



- upper** hydrophobic microfiber INDUSTRY PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** composite, extra wide anatomical shape provides more toe room and optimum fit
- sole** RAPID PU.2D with exceptional lightness for energy saving
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 SRC, ESD in accordance with EN IEC 61340-4-3:2018

830 Air 673560 S1 ESD





AREZZO 830 673560 S2 ESD

PRO POWER GRIP

DESIGN & ESD



- upper** hydrophobic microfiber INDUSTRY PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** composite, extra wide anatomical shape provides more toe room and optimum fit
- sole** RAPID PU.2D with exceptional lightness for energy saving
- size** 35 - 48
- standard** EN ISO 20345:2011 S2 SRC, ESD in accordance with EN IEC 61340-4-3:2018

830 673560 S2 ESD

ARIO 801 1010 S1 ESD

PRO POWER GRIP



- upper** hydrophobic microfiber MICRO PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** EFFECTOR memory polyurethane foam for added air rebound and breathability
- toe cap** composite, extra wide anatomical shape provides more toe room and optimum fit
- sole** RAPID PU.2D with exceptional lightness for energy saving
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 SRC, ESD in accordance with EN IEC 61340-4-3:2018

801 1010 S1 ESD



ARIO 801 236060 S1 ESD

DESIGN & ESD

PRO POWER GRIP



- upper** hydrophobic microfiber VELOUR PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** composite, extra wide anatomical shape provides more toe room and optimum fit
- sole** RAPID PU.2D with exceptional lightness for energy saving
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 SRC, ESD in accordance with EN IEC 61340-4-3:2018

801 236060 S1 ESD



AREZZO 830 Air 236060 S1 ESD

PRO POWER GRIP



- upper** hydrophobic microfiber VELOUR PRO 2,2 mm increases resistance and breathability
- lining** CLIMAX with 3D construction for unlimited air circulation and climate optimisation
- insole** ENERGIZER anatomical, memory polyurethane foam for added air rebound and breathability
- toe cap** composite, extra wide anatomical shape provides more toe room and optimum fit
- sole** RAPID PU.2D with exceptional lightness for energy saving
- size** 35 - 48
- standard** EN ISO 20345:2011 S1 SRC, ESD in accordance with EN IEC 61340-4-3:2018

830 Air 236060 S1 ESD

